



EDI Implementation Guidelines

Issue 1, Version 1.1

CODE LISTS

November 2001

INTRODUCTION

This *Code Lists* directory contains a list of all coded data elements, together with the appropriate code sets, that appear in segments in the EANCOM messages included in the following *EDItEUR EDI Implementation Guidelines*:

- Library Book Supply (Issue 1, Version 1.2)
- Serials (Issue 1, Version 1.3)

Codes used in the *Book Trade EDI Implementation Guidelines*, Issue 1, Version 1.1, are also listed. A revised version of this directory will be issued on completion of Version 1.2.

For each data element the following information is provided: tag, representation, name and description. Each entry in a code list contains: code value, name and description.

Most of the code values are taken from the EDIFACT D.96A directory. Others are EANCOM-specific or EDItEUR-specific. These codes are not part of the EDIFACT directory. The EAN and EDItEUR code values are easily recognisable by the label (*EAN code*) or (*EDItEUR code*) immediately following the code value.

Previously, the *Code Lists* were issued as Part IV of the *EDItEUR EDI Manual*. The latest versions of the *Guidelines* have been expanded so as to be self-sufficient, and the *Manual* is no longer being maintained. Full lists of code values that are valid in the context of a particular application will be found in the *Guidelines*. This combined directory is intended as a back-up reference source, listing all the values that are used across the whole set of applications. The *Guidelines* are, however, the authoritative statement of how the codes should be used.

The *Code Lists* directory will be updated from time to time to keep it in step with new code lists issued annually by EAN International and to add any new codes allocated by EDItEUR to meet the specific needs of the book and serials sectors.

Any user of the *EDItEUR EDI Implementation Guidelines* requiring additional code values should address their needs to EDItEUR at the address below.

The Secretary, EDItEUR
c/o Book Industry Communication
39-41 North Road
LONDON N7 9DP
England

FAX +44 (0)171 607 0415

E-mail brian@bic.org.uk

0000

0001 a4 Syntax identifier		
Coded identification of the agency controlling an syntax and syntax level used in an interchange, also identifying the character set standard used in the EDI transmission. EDItEUR has adopted the UNOC set as the preferred standard.		
UNOA	UN/ECE level A	<i>As defined in ISO 9735</i>
UNOB	UN/ECE level B	<i>As defined in ISO 9735</i>
UNOC	UN/ECE level C	<i>As defined in ISO 8859-1: Latin alphabet no 1</i>
UNOD	UN/ECE level D	<i>As defined in ISO 8859-2: Latin alphabet no 2</i>
UNOE	UN/ECE level E	<i>As defined in ISO 8859-5: Latin/Cyrillic alphabet</i>
UNOF	UN/ECE level F	<i>As defined in ISO 8859-7: Latin/Greek alphabet</i>

0002 n1 Syntax version number	
Version number of the syntax identified in the syntax identifier (0001).	
3	Syntax version number 3: allows character sets UNOA, B, C, D, E and F

0007 an..4 Partner identification code qualifier	
Indicates the source of codes of the identifiers of trading partners.	
14	EAN International
31B	US SAN agency (<i>EDItEUR code</i>)
91	Assigned by supplier
92	Assigned by buyer

0025 an2 Recipient's reference/password qualifier	
Qualifier for the recipient's reference or password. To be used as specified in the partners' interchange agreement. <i>Not normally used in EDItEUR practice.</i>	
AA	Reference
BB	Password

0029 a1 Processing priority code	
Code determined by the sender requesting processing priority for the interchange.	
A	Highest priority

0031 n1 Acknowledgement request	
Code determined by the sender for acknowledgement of the interchange. <i>Not normally used in EDItEUR practice.</i>	
1	Requested: acknowledgement is requested

0035 n1 Test indicator	
Indication that the interchange is a test.	
1	Interchange is a test

0051 an..2 Controlling agency	
Code identifying the agency controlling the specification, maintenance and publication of the message type.	
EN	EAN International (EANCOM)
UN	UN/ECE/TRADE/WP.4 (United Nations Standard Messages – UNSM)

0052 an..3 Message type version number	
Version number of the message type.	
D	Draft directory

0065 an..6 Message type identifier	
Code identifying a type of message and assigned by its controlling agency.	
<i>Messages covered by the EDItEUR EDI Implementation Guidelines:</i>	
DESADV	Despatch advice message: message specifying details for goods despatched or ready for despatch under agreed conditions
INVOIC	Invoice message: message claiming payment for goods or services supplied under the message, with correct data qualification, serves also as the specification for debit note and credit note messages
ORDCHG	Purchase order change message: message from the buyer to the seller, specifying details of the buyer's request to change a purchase order
ORDERS	Purchase order message: message specifying details for goods or services ordered under conditions agreed between the seller and the buyer
ORDRSP	Purchase order response message: message from the seller to the buyer, responding to a purchase order message or a purchase order change message
OSTENQ	Order status enquiry message (EAN code): a message from a buyer or buyer's agent which requests information on the current status of a previously sent outstanding order(s) from a supplier or supplier's agent

QUOTES	Quote message: message which provides sellers with the ability to provide price, delivery schedule, and other conditions for potential sales of goods or services
TAXCON	Tax control message (EAN code): message for transmitting information related to the tax details of an invoice, or a batch/batches of invoice messages

0081 a1	Section identification
A character identifying the next section in a message: see ISO 9735 version 2.	
D	Header/detail section separation: to qualify the segment UNS, when separating the header from the detail section of the message
S	Detail/summary section separation: to qualify the segment UNS, when separating the detail from the summary section of the message

1000

1000 an..35	Document/message name
Plain language identifier specifying the function of a document/message. Occurs in BGM segment 2 in all messages - current use is in serials INVOIC message to allow journal invoices and credit notes to be distinguished from book invoices and credit notes where the customer system so requires.	
JINV	Journal invoice (<i>EDItEUR code</i>)
JCRN	Journal credit note (<i>EDItEUR code</i>)

1001 an..3	Document/message name, coded
Document/message identifier expressed in code. Mandatory in all BGM segments in all messages, and in all DOC segments.	
<i>Code(s) used in EDItEUR applications:</i>	
220	Order
224	Rush order: document/message for urgent ordering
228	Sample order: use for an order for approval or inspection copies
22C	Continuation order (<i>EDItEUR code</i>): use for continuation orders for all volumes in a series or set
230	Purchase order change request: use to change or cancel a previous purchase order of type 220, 224 or 228
231	Purchase order response: use to respond to a purchase order of type 220, 224 or 228 : use also for subsequent reports on changes in the status of an outstanding order, and for responses to order change messages and to order chasers or claims
23C	Copy-related data report (<i>EDItEUR code</i>): use to identify an order response message which is being used solely to convey copy-related data to a library in advance of despatch of processed items

23S	Journal claim response (<i>EDItEUR code</i>)
31A	Quotation message used to notify bibliographic details of titles sent to a library on approval (<i>EDItEUR code</i>): No EDI order expected in response
31B	Quotation message used for bookseller’s new title notices (<i>EDItEUR code</i>): a quotation raised by a bookseller as a way of informing prospective buyers of new titles
31C	Quotation message used for a proposed order list downloaded from a bookseller’s CD-ROM or online database (<i>EDItEUR code</i>): enables an EDI order to be constructed
31D	Quotation message used to notify bibliographic details of titles sent to a library under a standing or “continuation” order (<i>EDItEUR code</i>): No EDI order expected in response
31F	Quotation message used for firm order list from showroom visit (<i>EDItEUR code</i>): No EDI order expected in response
31S	Quotation message used for proposed order list from supplier selection (<i>EDItEUR code</i>): EDI order expected in response
31T	Quotation message used for firm order list from supplier selection (<i>EDItEUR code</i>): No EDI order expected in response
31V	Quotation message used for a proposed order list resulting from a showroom visit by library staff (<i>EDItEUR code</i>): EDI order required in response
325	Proforma invoice
351	Despatch advice
35J	Notification of journal issue despatch changes (<i>EDItEUR code</i>)
380	Commercial invoice
381	Credit note
385	Consolidated invoice
386	Prepayment invoice
92E	Order status enquiry (<i>EAN code</i>): use for book order chaser
92J	Journal claim (<i>EDItEUR code</i>)
938	Tax declaration (general): document/message containing a general tax declaration

1131 an..3 Code list qualifier	
Identification of a code list. Mandatory if one of the EDItEUR code lists below has been used.	
<i>EDItEUR code list qualifiers:</i>	
1B	Order qualifier: see DE 4441
2B	Library stock category: see DE 4441 (<i>not currently recommended, but may be encountered in earlier implementations</i>)
3B	Special servicing request: see DE 4441
4B	Billing instruction: see DE 4441
5B	Source reference: see DE 4441 (<i>not currently recommended, but may be encountered in earlier implementations</i>)
8B	Availability status code (<i>amalgamates lists 7B and 8B – they may continue to be used as separate lists where trading partners agree</i>): see DE 4441
9B	Order response coded text: see DE 4441

10B	Order priority: see DE 4441
11B	Binding/format code: see DE 7009
12B	Order action/status code: see DE 4441
13B	Availability status code (<i>replaces lists 7B and 8B – these may continue to be used where trading partners agree</i>): see DE 4441
1S	Journal despatch date notification type: see DE 4441
2S	Journal claim response code: see DE 4441
3S	Journal reason for adjustment code: see DE 4441
4S	Journal order type code: see DE 4441

1153 an..3 Reference qualifier	
Code giving specific meaning to a reference segment or a reference number. Mandatory in all RFF segments in all messages.	
<i>Codes used in EDItEUR applications:</i>	
AAB	Proforma invoice number: reference assigned by the seller to a proforma invoice, from BGM segment 2, DE 1004, in an INVOICE message coded 325 in DE 1001
AAG	Offer or quotation number: reference assigned by the sender to an offer, from BGM segment 2, DE 1004, in the QUOTES message
AAK	Despatch advice number: reference assigned by the sender to a despatch advice, from BGM segment 2, DE 1004, in the DESADV message
ABW	Accession number (barcode number) (<i>not currently recommended, but may be encountered in earlier implementations</i>): see LAC in DE 7405 (GIR segment) for current recommendation
ACT	Order status enquiry line number
AE	Authorization for expense number: use for a library's purchase authorization number covering multiple orders
AEK	Payment order number
AHU	Request for quote number: reference number assigned by the sender to a request for quotation, from BGM segment 2, DE 1004, in a REQOTE message (<i>previously RQN</i>)
ALO	Receiving advice number: reference number assigned by the sender to a receiving advice, from BGM segment 2, DE 1004, in a REQADV message (<i>previously RAR</i>)
ALQ	Returns notice number: reference number assigned by the sender to a request for returns authorization, from BGM segment 2, DE 1004, in a RETANN message
API	Additional party identification (<i>EAN code</i>): use with a NAD segment coded BY in DE 3035 for a coded identification which is additional to the linked NAD segment. This number may be the internal number used by a party to identify its trading partners. In library supply, it is usually an account number by which the supplier identifies the library or department within a library
ARF	Start of accession number range (<i>EDItEUR code</i>): used with ARL to define a range of consecutive library accession numbers assigned to an order for multiple copies of the same item (<i>not currently recommended, but may be encountered in earlier implementations</i>): see LAF in DE 7405 (GIR segment) for current recommendation

ARL	End of accession number range (<i>EDItEUR code</i>): see ARF (<i>not currently recommended, but may be encountered in earlier implementations</i>): see LAL in DE 7405 (GIR segment) for current recommendation
BC	Buyer's contract number: reference assigned by buyer to a contract
BFN	Buyer's fund number (<i>EAN code</i>): a reference indicating the fund number used by the buyer
CD	Credit note number: reference number assigned to a credit note, from BGM segment 2, DE 1004, in an INVOIC message coded 381 in DE 1001
CK	Cheque number
CR	Customer reference number: use in book supply for a reference assigned by the sender of an order line to indicate the identity of a customer for whom the order line is being placed; in journal supply, for a customer reference other than a unique subscription number or fund account number
CT	Contract number
DL	Debit note number: reference assigned by the issuer to a debit note, from BGM segment 2, DE 1004, in an INVOIC message coded 383 in DE 1001
DQ	Delivery note number
IA	Internal vendor number: use with a NAD segment coded SU in DE 3035 when a library has multiple vendor references which apply to different types of business with the same supplier
IV	Invoice number: number of the invoice against which a credit item is given
LBO	Library's approval plan or blanket order number (<i>EDItEUR code</i>)
LC	Letter of credit number
LCO	Library's continuation order number (<i>EDItEUR code</i>)
LI	Line item reference number: reference identifying a particular line in a document: use for the buyer's unique order line reference
OI	Original invoice number: use for a reference to an invoice (usually a prepayment invoice) which initiated a series of confirmed charges and/or credit adjustments of which the present line item is part
ON	Buyer's purchase order number
OSE	Order status enquiry number (<i>EAN code</i>): reference assigned by the sender to an order status enquiry message, from BGM segment 2, DE 1004, in an OSTENQ message
PD	Promotional deal number: use for a number assigned by a supplier to a special promotional offer, and quoted by a customer in an order line to support the customer's claim for the special offer terms
PL	Price list number: reference assigned to a price list
POR	Purchase order response number: reference assigned by the seller to an order response, from BGM segment 2, DE 1004, in an ORDRSP message
PP	Purchase order change number: reference assigned by the buyer for a revision of a purchase order, from BGM segment 2, DE 1004, in an ORDCHG message
PQ	Payment reference number
PW	Prior purchase order number: reference of an order number previously sent to the supplier

QLI	Quotation line number (<i>EDItEUR code</i>): unique reference assigned to a quotation line by the supplier in a QUOTES message
SBO	Supplier's approval plan or blanket order number (<i>EDItEUR code</i>)
SCO	Supplier's continuation order number (<i>EDItEUR code</i>)
SLI	Supplier's order line number: unique reference assigned to an order line by the supplier, usually in RFF segment 51, DE 1154, in an ORDRSP message
SNA	Agent's unique subscription number (<i>EDItEUR code</i>)
SNL	Library's unique subscription number (<i>EDItEUR code</i>)
SNP	Publisher's unique subscription number
SPA	Agent's prior year subscription number (<i>EDItEUR code</i>)
TL	Tax exemption licence number: number assigned by the tax authorities to a party indicating its tax exemption authorization
UC	Ultimate customer's reference number: the originator's reference as forwarded in a sequence of parties involved
VA	VAT registration number: unique number assigned by the relevant tax authority to identify a part for use in relation to Value Added Tax (VAT)
VC	Vendor's contract number
VN	Order number (supplier): reference assigned by supplier to buyer's purchase order
<i>EDItEUR/EDILIBE bibliography reference codes (may be used with a reference in RFF DE 1154 which uniquely identifies an entry in the chosen bibliography for the title which is the subject of the transaction). Not currently recommended, but may be encountered in earlier implementations:</i>	
ALI	ALICE
ANB	Australian National Bibliography
BBE	Bibliographie de Belgique
BES	Bibliografía española
BFD	Book Data BookFind-CD
BFW	Book Data BookFind-CD World Edition
BGB	Bowker-Whitaker global Books in Print Plus
BIP	Bowker Books in Print Plus
BNB	British National Bibliography
BNI	Bibliografia Nazionale Italiana
BPR	American Book Publishing Record
BTL	Baker & Taylor B&T Link
BTW	Baker & Taylor B&T Link World Edition
CBI	Cumulative Book Index
DAN	Det Danske Bogmarked
DNA	Deutsche Nationalbibliographie, Reihe A
DNB	Deutsche Nationalbibliographie, Reihe B
DNN	Deutsche Nationalbibliographie, Reihe N
ELB	Electre Biblio

ISB	ISBN Spanish Books in Print
LCC	Library of Congress Card Number
NBA	Nederlandse Bibliografie, A-lijst
NBB	Nederlandse Bibliografie, B-lijst
NZN	New Zealand National Bibliography
SBU	Das Schweizer Buch
SVE	Svensk Borkhandel
VLB	Verzeichnis lieferbarer Bücher
WBB	Whitaker-Bookbank
WGB	Whitaker-Bowker Global Bookbank

1225 an..3 Message function, coded	
Code indicating the function of the message. Mandatory in BGM segment 2 in all messages.	
<i>Codes used in EDItEUR applications:</i>	
1	Cancellation: message specifying cancellation of outstanding order lines from previously sent messages
4	Change: message specifying changes to line items from a previously sent message
7	Duplicate: the message is a duplicate of a previously generated message, used when re-sending a message at the receiver's request
9	Original: the first transmission of the message in which this code value appears
11	Response: use only when responding to an order chaser or claim (OSTENQ)
27	Not accepted: the referenced message is rejected in its entirety (used, eg., when an order cannot be accepted because the customer's account is in dispute)
43	Additional transmission: used in invoice/credit note when the message is a copy of one in paper form – the latter being the authoritative document for legal and tax purposes
46	Provisional: used when an invoice is, in effect, a priced delivery note, and payment will be made later on a consolidated paper invoice
55	Notification: used when an invoice is a notification of detail in support of a consolidated paper invoice against which payment has been, or will be, made

1227 an..3 Calculation sequence indicator, coded	
Code indicating the sequence of cumulated calculations to be agreed between interchange partners. May be required in ALC segments.	
1,2,3...	First, second, third step of calculation...
...7,8,9	...seventh, eighth, ninth step of calculation

1229 an..3 Action request/notification, coded	
Code specifying action taken, or to be taken. Mandatory in LIN segments in an ORDRSP message, to indicate the action which is being taken on the order line; and in an ORDCHG message, to indicate the action which is requested by the sender.	
<i>Codes used in EDItEUR applications:</i>	
2	Cancelled (deleted): the order line has been, or is to be, cancelled
3	Changed: change requested by the supplier in ORDRSP (the order line is recorded and held awaiting the buyer's confirmation that the change is accepted); or change requested or confirmed by the buyer in ORDCHG
4	No action: this line item is not affected by the actual message
5	Accepted without amendment: this line item is entirely accepted by the seller
7	Not accepted: this line item is not accepted by the seller
10	Not found: the supplier has no record of the order line
11	Not amended: this line is not amended by the buyer
24	Accepted with change: the order line is recorded, and the supplier will proceed without further confirmation from the buyer. Any changes reported must fall within tolerances agreed between trading partners (<i>previously 3B</i>)

2000

2005 an..3 Date/time period qualifier	
Code giving specific meaning to a date, time or period. Mandatory in all DTM segments in all messages.	
<i>Codes used in EDItEUR applications:</i>	
2	Delivery date/time, requested: date on which buyer requests goods to be delivered
7	Effective date/time: date and/or time at which specified event or document becomes effective (eg: new price): use for journal claim response action date
11	Despatched/shipped date/time: date/time on which the goods are/should be despatched/shipped
12	Terms discount due date/time: date by which payment should be made if discount terms are to apply
13	Terms net due date: date by which payment must be made
36	Expiry date: date of expiry of a quotation or of a limited-period price
44	Availability: date which item is expected to be available: use (eg:) for reprint date, or for publication date of an item not yet published
61	Cancel order or order line item if not delivered by this date
61B	Cancel order or order line item if not delivered by this date, except item(s) not yet published at time of ordering (<i>EDItEUR code</i>)
63	Delivery date/time, latest: delivery must be on or before this date

64	Delivery date/time, earliest: delivery must not be before this date
69	Delivery date/time, promised for: date by which, or period within which, the merchandise should be delivered to the buyer, as agreed between the seller and the buyer (generic term)
102	Expect to ship on or before
131	Tax point date: date on which tax is due or calculated
134	Date/time of rate of exchange: date/time on which the exchange rate was fixed
137	Document/message date/time: date/time when a document/message is issued [Mandatory in all messages in DTM segment 3]
171	Reference date/time
194	Start date for invoicing period: used in conjunction with code 206 for journal invoices
206	End date for invoicing period: used in conjunction with code 194 for journal invoices
24B	Preparation date of catalogue (<i>EDItEUR code</i>): when ordering from a supplier's catalogue using entry numbers as product identifiers in PIA, the nominal preparation date of the catalogue
263	Invoicing period: period for which an invoice is issued
273	Licensing period for electronic access
302	Publication date
999	Ship date or response action date unconfirmed as of (<i>EDItEUR code</i>)

2009 an..3 Time relation, coded

Code relating payment terms to a time before, on or after the reference date. Mandatory in all PAT segments in EDItEUR applications.

Code(s) used in EDItEUR applications:

3	After reference: payment terms related to time after reference date
---	---

2151 an..3 Type of period, coded

Agreed or specified period of time (coded). Mandatory in all PAT segments in EDItEUR applications.

Code(s) used in EDItEUR applications:

D	Day
---	-----

2379 an..3 Date/time period format qualifier	
Specification of the representation of a date, a date and time, or of a period. Mandatory in all DTM segments in all messages.	
<i>Code(s) used in EDItEUR applications:</i>	
102	CCYYMMDD
203	CCYYMMDDHHMM
608	CCYYQ (Q = Quarter 1,2,3,4)
610	CCYYMM
616	CCYYWW (week number within year)
718	CCYYMMDDCCYYMMDD (period: start and end dates without hyphen)

2475 an..3 Payment time reference, coded	
Code relating payment terms to the date of a specific event. Mandatory in all PAT segments in EDItEUR applications.	
<i>Code(s) used in EDItEUR applications:</i>	
5	Date of invoice: payment time reference is date when invoice is sent

3000

3035 an..3 Party qualifier	
Code giving specific meaning to a party. Mandatory in all NAD segments in all messages.	
<i>Codes used in EDItEUR applications:</i>	
BY	Buyer
DP	Delivery party: party (address) to which goods should be delivered, if different from BY
DS	Distributor, if different from SU
GZ	Substitute supplier: party which may be in a position to supply goods should SU not be in a position to do so (<i>previously SSU</i>)
II	Issuer of invoice, if different from SU
IV	Invoicee: party (address) to which invoice should be sent, if different from BY
OB	Ordered by (person or department)
PE	Payee: if different from SU
RTN	Address for return of goods, if different from SU (<i>EDItEUR code</i>)
SR	Supplier's agent: use for journal subscription agent
SU	Supplier
UD	Ultimate customer: the final recipient of goods, if different from BY

3055 an..3 Code list responsible agency, coded	
Code identifying the agency responsible for a code list.	
<i>Codes used in EDItEUR applications:</i>	
9	EAN: International Article Numbering Association
22B	Börsenverein des Deutschen Buchhandels (for Verkehrsnummer) (<i>EDItEUR code</i>)
28	EDItEUR
31B	US SBN Agency (for US-assigned SANs) (<i>EDItEUR code</i>)
32B	US SBN Agency (for US-assigned SANs) (<i>EDItEUR code</i>)
91	Assigned by supplier or supplier's agent
92	Assigned by buyer or buyer's agent

3139 an..3 Contact function, coded	
Code specifying the function of a contact (eg: department or person). Mandatory in CTA segments.	
<i>Codes used in EDItEUR applications:</i>	
OC	Order contact: department/person at buyer to contact for queries on this order
SR	Sales representative or department: sales representative or department contact within an organisation
SU	Supplier contact: department/person at supplier to contact for queries on this transaction

3155 an..3 Communication channel qualifier	
Code identifying the type of communication channel being used. Mandatory in COM segments.	
<i>Codes used in EDItEUR applications:</i>	
EM	Electronic mail
FX	Fax, telefax
TE	Telephone
TL	Telex
XF	X400

3207 an..3 Country, coded			
Identification of the name of a country or other geographical entity as specified in ISO 3166 two-alpha country codes. Recommended in NAD segments when the address is given as structured text.			
<i>Alphabetical by code</i>		<i>Alphabetical by country</i>	
AD	Andorra	Afghanistan	AF
AE	United Arab Emirates	Albania	AL
AF	Afghanistan	Algeria	DZ
AG	Antigua & Barbuda	American Samoa	AS
AI	Anguilla	Andorra	AD
AL	Albania	Angola	AO
AM	Armenia	Anguilla	AI
AN	Netherlands Antilles	Antarctica	AQ
AO	Angola	Antigua & Barbuda	AG
AQ	Antarctica	Argentina	AR
AR	Argentina	Armenia	AM
AS	American Samoa	Aruba	AW
AT	Austria	Australia	AU
AU	Australia	Austria	AT
AW	Aruba	Azerbaijan	AZ
AZ	Azerbaijan	Bahamas	BS
BA	Bosnia & Herzegovina	Bahrain	BH
BB	Barbados	Bangladesh	BD
BD	Bangladesh	Barbados	BB
BE	Belgium	Belarus	BY
BF	Burkina Faso	Belgium	BE
BG	Bulgaria	Belize	BZ
BH	Bahrain	Benin	BJ
BI	Burundi	Bermuda	BM
BJ	Benin	Bhutan	BT
BM	Bermuda	Bolivia	BO
BN	Brunei Darussalam	Bosnia & Herzegovina	BA
BO	Bolivia	Botswana	BW
BR	Brazil	Bouvet Island	BV
BS	Bahamas	Brazil	BR
BT	Bhutan	Br. Indian Ocean Territory	IO
BV	Bouvet Island	Brunei Darussalam	BN
BW	Botswana	Bulgaria	BG
BY	Belarus	Burkina Faso	BF
BZ	Belize	Burundi	BI

CA	Canada	Cambodia	KH
CC	Cocos (Keeling) Islands	Cameroon	CM
CF	Central African Republic	Canada	CA
CG	Congo	Cape Verdi	CV
CH	Switzerland	Cayman Islands	KY
CI	Côte d'Ivoire	Central African Republic	CF
CK	Cook Islands	Chad	TD
CL	Chile	Chile	CL
CM	Cameroon	China	CN
CN	China	Christmas Island	CX
CO	Colombia	Cocos (Keeling) Islands	CC
CR	Costa Rica	Colombia	CO
CU	Cuba	Comoros	KM
CV	Cape Verdi	Congo	CG
CX	Christmas Island	Cook Islands	CK
CY	Cyprus	Costa Rica	CR
CZ	Czech Republic	Côte d'Ivoire	CI
DE	Germany	Croatia	HR
DJ	Djibouti	Cuba	CU
DK	Denmark	Cyprus	CY
DM	Dominica	Czech Republic	CZ
DO	Dominican Republic	Denmark	DK
DZ	Algeria	Djibouti	DJ
EC	Ecuador	Dominica	DM
EE	Estonia	Dominican Republic	DO
EG	Egypt	East Timor	TP
EH	Western Sahara	Ecuador	EC
ER	Eritrea	Egypt	EG
ES	Spain	El Salvador	SV
ET	Ethiopia	Equatorial Guinea	GQ
FI	Finland	Eritrea	ER
FJ	Fiji	Estonia	EE
FK	Falkland Islands	Ethiopia	ET
FM	Micronesia	Falkland Islands	FK
FO	Faroe Islands	Faroe Islands	FO
FR	France	Fiji	FJ
FX	France, Metropolitan	Finland	FI
GA	Gabon	France	FR
GB	United Kingdom	France, Metropolitan	FX

GD	Grenada	French Guiana	GF
GE	Georgia	French Polynesia	PF
GF	French Guiana	Fr. Southern Territories	TF
GH	Ghana	Gabon	GA
GI	Gibraltar	Gambia	GM
GL	Greenland	Georgia	GE
GM	Gambia	Germany	DE
GN	Guinea	Ghana	GH
GP	Guadeloupe	Gibraltar	GI
GQ	Equatorial Guinea	Greece	GR
GR	Greece	Greenland	GL
GS	South Georgia & S. Sandwich Is.	Grenada	GD
GT	Guatemala	Guadeloupe	GP
GU	Guam	Guam	GU
GW	Guinea-Bissau	Guatemala	GT
GY	Guyana	Guinea	GN
HK	Hong Kong	Guinea-Bissau	GW
HM	Heard Island & McDonald Is.	Guyana	GY
HN	Honduras	Haiti	HT
HR	Croatia	Heard Island & McDonald Is.	HM
HT	Haiti	Honduras	HN
HU	Hungary	Hong Kong	HK
ID	Indonesia	Hungary	HU
IE	Ireland	Iceland	IS
IL	Israel	India	IN
IN	India	Indonesia	ID
IO	Br. Indian Ocean Territory	Iran	IR
IQ	Iraq	Iraq	IQ
IR	Iran	Ireland	IE
IS	Iceland	Israel	IL
IT	Italy	Italy	IT
JM	Jamaica	Jamaica	JM
JO	Jordan	Japan	JP
JP	Japan	Jordan	JO
KE	Kenya	Kazakhstan	KZ
KG	Kyrgyzstan	Kenya	KE
KH	Cambodia	Kiribati	KI
KI	Kiribati	Korea, Dem. People's Republic	KP
KM	Comoros	Korea, Republic of	KR

KN	St. Kitts & Nevis	Kuwait	KW
KP	Korea, Dem. People's Republic	Kyrgyzstan	KG
KR	Korea, Republic of	Lao People's Dem. Republic	LA
KW	Kuwait	Latvia	LV
KY	Cayman Islands	Lebanon	LB
KZ	Kazakhstan	Lesotho	LS
LA	Lao People's Dem. Republic	Liberia	LR
LB	Lebanon	Libyan Arab Jamahiriya	LY
LC	St. Lucia	Liechtenstein	LI
LI	Liechtenstein	Lithuania	LT
LK	Sri Lanka	Luxembourg	LU
LR	Liberia	Macao	MO
LS	Lesotho	Madagascar	MG
LT	Lithuania	Malawi	MW
LU	Luxembourg	Malaysia	MY
LV	Latvia	Maldives	MV
LY	Libyan Arab Jamahiriya	Mali	ML
MA	Morocco	Malta	MT
MC	Monaco	Marshall Islands	MH
MD	Moldova	Martinique	MQ
MG	Madagascar	Mauritania	MR
MH	Marshall Islands	Mauritius	MU
ML	Mali	Mayotte	YT
MM	Myanmar	Mexico	MX
MN	Mongolia	Micronesia	FM
MO	Macao	Moldova	MD
MP	Northern Mariana Islands	Monaco	MC
MQ	Martinique	Mongolia	MN
MR	Mauritania	Montserrat	MS
MS	Montserrat	Morocco	MA
MT	Malta	Mozambique	MZ
MU	Mauritius	Myanmar	MM
MV	Maldives	Namibia	NA
MW	Malawi	Nauru	NR
MX	Mexico	Nepal	NP
MY	Malaysia	Netherlands	NL
MZ	Mozambique	Netherlands Antilles	AN
NA	Namibia	New Caledonia	NC

NC	New Caledonia	New Zealand	NZ
NE	Niger	Nicaragua	NI
NF	Norfolk Island	Niger	NE
NG	Nigeria	Nigeria	NG
NI	Nicaragua	Niue	NU
NL	Netherlands	Norfolk Island	NF
NO	Norway	Northern Mariana Islands	MP
NP	Nepal	Norway	NO
NR	Nauru	Oman	OM
NU	Niue	Pakistan	PK
NZ	New Zealand	Palau	PW
OM	Oman	Panama	PA
PA	Panama	Papua New Guinea	PG
PE	Peru	Paraguay	PY
PF	French Polynesia	Peru	PE
PG	Papua New Guinea	Philippines	PH
PH	Philippines	Pitcairn	PN
PK	Pakistan	Poland	PL
PL	Poland	Portugal	PT
PM	St. Pierre & Miquelon	Puerto Rico	PR
PN	Pitcairn	Qatar	QA
PR	Puerto Rico	Reunion	RE
PT	Portugal	Romania	RO
PW	Palau	Russian Federation	RU
PY	Paraguay	Rwanda	RW
QA	Qatar	St. Helena	SH
RE	Reunion	St. Kitts & Nevis	KN
RO	Romania	St. Lucia	LC
RU	Russian Federation	St. Pierre & Miquelon	PM
RW	Rwanda	St. Vincent & Grenadines	VC
SA	Saudi Arabia	Samoa	WS
SB	Solomon Islands	San Marino	SM
SC	Seychelles	Sao Tome & Principe	ST
SD	Sudan	Saudi Arabia	SA
SE	Sweden	Senegal	SN
SG	Singapore	Seychelles	SC
SH	St. Helena	Sierra Leone	SL
SI	Slovenia	Singapore	SG

SJ	Svalbard & Jan Mayen	Slovakia	SK
SK	Slovakia	Slovenia	SI
SL	Sierra Leone	Solomon Islands	SB
SM	San Marino	Somalia	SO
SN	Senegal	South Africa	ZA
SO	Somalia	South Georgia & S. Sandwich Is.	GS
SR	Suriname	Spain	ES
ST	Sao Tome & Principe	Sri Lanka	LK
SV	El Salvador	Sudan	SD
SY	Syrian Arab Republic	Suriname	SR
SZ	Swaziland	Svalbard & Jan Mayen	SJ
TC	Turks & Caicos Islands	Swaziland	SZ
TD	Chad	Sweden	SE
TF	French Southern Territories	Switzerland	CH
TG	Togo	Syrian Arab Republic	SY
TH	Thailand	Taiwan	TW
TJ	Tajikistan	Tajikistan	TJ
TK	Tokelau	Tanzania	TZ
TM	Turkmenistan	Thailand	TH
TN	Tunisia	Togo	TG
TO	Tonga	Tokelau	TK
TP	East Timor	Tonga	TO
TR	Turkey	Trinidad & Tobago	TT
TT	Trinidad & Tobago	Tunisia	TN
TV	Tuvalu	Turkey	TR
TW	Taiwan	Turkmenistan	TM
TZ	Tanzania	Turks & Caicos Islands	TC
UA	Ukraine	Tuvalu	TV
UG	Uganda	Uganda	UG
UM	US Minor Outlying Islands	Ukraine	UA
US	United States of America	United Arab Emirates	AE
UY	Uruguay	United Kingdom	GB
UZ	Uzbekistan	United States of America	US
VA	Vatican City	US Minor Outlying Islands	UM
VC	St. Vincent & the Grenadines	Uruguay	UY
VE	Venezuela	Uzbekistan	UZ
VG	Virgin Islands (British)	Vanuatu	VU
VI	Virgin Islands (US)	Vatican City	VA

VN	Vietnam	Venezuela	VE
VU	Vanuatu	Vietnam	VN
WF	Wallis & Futuna Islands	Virgin Islands (British)	VG
WS	Samoa	Virgin Islands (US)	VI
YE	Yemen	Wallis & Futuna Islands	WF
YT	Mayotte	Western Sahara	EH
YU	Yugoslavia	Yemen	YE
ZA	South Africa	Yugoslavia	YU
ZM	Zambia	Zaire	ZR
ZR	Zaire	Zambia	ZM
ZW	Zimbabwe	Zimbabwe	ZW

3227 an..3 Place/location qualifier

Code identifying the function of a location. Mandatory in all LOC segments in all messages.

Code(s) used in EDItEUR applications:

7	Place of delivery
8	Place of destination: may be used to send a library location code whose purpose is solely to specify processing requirements
20	Ultimate destination: use to specify that the supplier is requested to package and label for the specified destination, but to deliver to the default address

3453 an..3 Language, coded

ISO 639-1988 two-alpha codes, eg:

<i>Alphabetical by code</i>		<i>Alphabetical by language</i>	
AF	Afrikaans	Afrikaans	AF
AR	Arabic	Arabic	AR
AZ	Azerbaijani	Armenian	HY
BE	Byelorussian	Azerbaijani	AZ
BG	Bulgarian	Basque	EU
BR	Breton	Breton	BR
CA	Catalan	Bulgarian	BU
CO	Corsican	Byelorussian	BE
CS	Czech	Cambodian	KM
CY	Welsh	Catalan	CA
DA	Danish	Chinese	ZH
DE	German	Corsican	CO
EL	Greek	Croatian	HR
EN	English	Czech	CS

ES	Spanish	Danish	DA
ET	Estonian	Dutch	NL
EU	Basque	English	EN
FA	Persian	Estonian	ET
FI	Finnish	Finnish	FI
FR	French	French	FR
GA	Irish	Gaelic (Scots)	GD
GD	Gaelic (Scots)	Georgian	KA
HR	Croatian	German	DE
HU	Hungarian	Greek	EL
HY	Armenian	Hungarian	HU
ID	Indonesian	Icelandic	IS
IS	Icelandic	Indonesian	ID
IT	Italian	Irish	GA
JA	Japanese	Italian	IT
KA	Georgian	Japanese	JA
KM	Cambodian	Korean	KO
KO	Korean	Lithuanian	LT
LT	Lithuanian	Macedonian	MK
MK	Macedonian	Malayalam	ML
ML	Malayalam	Maltese	MT
MN	Mongolian	Moldavian	MO
MO	Moldavian	Mongolian	MN
MT	Maltese	Norwegian	NO
NL	Dutch	Persian	FA
NO	Norwegian	Polish	PL
PL	Polish	Portuguese	PT
PT	Portuguese	Romanian	RO
RO	Romanian	Russian	RU
RU	Russian	Serbian	SR
SK	Slovak	Slovak	SK
SL	Slovenian	Slovenian	SL
SR	Serbian	Spanish	ES
SV	Swedish	Swedish	SV
TH	Thai	Thai	TH
TR	Turkish	Turkish	TR
UK	Ukrainian	Ukrainian	UK
VI	Vietnamese	Vietnamese	VI
ZH	Chinese	Welsh	CY

4000

4183 an..3 Special conditions, coded	
Indication of a specific condition. May be used in ALI segment of the INVOIC message. Code values are based on UK Customs Type of Supply codes.	
B	Hire purchase, conditional sale, credit sale or similar loan
C	Loan
D	Exchange
E	Hire, lease or rental
F	Process (making goods from another party's materials)
G	Sales on commission, eg: by an auctioneer
H	Sale or return, or similar terms

4279 an..3 Payment terms type qualifier	
Identification of the type of payment terms. Mandatory in PAT segments.	
<i>Codes used in EDItEUR applications:</i>	
1	Basic terms: payment conditions normally applied
3	Fixed date (requires accompanying DTM segment)
7	Extended: payment terms which offer an extension to the basic terms

4347 an..3 Product ID function qualifier	
Indication of the function of the product code. Mandatory in all PIA segments in all messages.	
<i>Codes used in EDItEUR applications:</i>	
1	Additional identification: an alternative number for the product
1S	Additional identification: an identification number for a multi-volume set to which the product belongs (<i>EDItEUR code</i>)
2	Identification for substitution: the number identifies a product which may be substituted for the ordered product if it is not available
3	Substituted by: the given number identifies a product which has been or will be supplied as a substitute for the ordered product
4	Substituted for: the given number identifies the ordered product for which another product has been or will be supplied as a substitute
5	Product identification: the main identification number for the product
5E	Product identification (end with) (<i>EDItEUR code</i>): identifies the last issue in a journal subscription
5L	Product identification of a journal issue with which the journal ceased publication (last issue) (<i>EDItEUR code</i>)

5M	Product identification of a journal issue which has been merged with another to form a combined issue (<i>EDItEUR code</i>)
5S	Product identification (start from) (<i>EDItEUR code</i>): identifies the first volume required in a library continuation order, or the first issue in a journal subscription
5V	'Set or series including' product number (<i>EDItEUR code</i>): use when a library order refers to a set or series for which the only ISBN or other product number available at time of ordering is that of one or more volumes or parts

4441 an..3 Free text, coded

Free text in coded form. Mandatory in an FTX segment when Composite C107 is used. When any of the EDItEUR code lists below is used, DE 4441 must be accompanied by the corresponding code list identifier (eg: 1B, 2B etc.) in DE 1131, and the code 28 in DE 3055, identifying EDItEUR as the agency responsible for the code list.

4441 EDItEUR code list 1B: Order qualifier

Codes which may affect the supplier's processing of individual order lines, without changing the basic order type specified in the header.

ATQ	Order for secondhand or antiquarian item: unless the item ordered has been specifically quoted, such orders will not normally be against a firm price, but may (and generally should) carry a price limit set by the customer, using code NE in PRI DE 5375
CRR	Customer order (bookseller) or reader request (library): may affect the order processing, if so agreed between the parties (<i>cf</i> PRE, Advance order, and STK, Stock order, below)
DUN	Do not record dues (supply only if immediately available)
DUY	Record dues (back order if not immediately available)
ENH	Message line includes enhanced bibliographic data (used in order-related messages between libraries and library suppliers)
HBK	Supply in hardback, if available
PBK	Supply in paperback, if available
PRE	Advance order (or bookshop "subscription" order): an order which is expected to be fulfilled when the title is published
PTN	Part order not acceptable
PTY	Part order acceptable
RPN	Do not round to pack quantity
RPY	Round to pack quantity
STK	Stock order

4441 EDItEUR code list 2B: Library stock category

Codes which identify a stock category for certain library orders.

(not currently recommended, but may be encountered in earlier implementations)

A	Adult
AF	Adult fiction
AN	Adult non-fiction
AR	Adult reference
J	Junior
JF	Junior fiction
JN	Junior non-fiction
JR	Junior reference
T	Teenage

4441 EDItEUR book trade list 3B: Special servicing request

Codes which define additional servicing to be applied to the book (orders from libraries to library booksellers). Free text in DE 4440 may be used to specify the requirement in more detail. In general, services of this kind are (and should be) specified under a standing arrangement between customer and supplier. Only exceptions to the standing arrangement should be specified in an EDI order.

BB <i>BBN</i>	Barcode labelling <i>Do not apply barcode labels</i>
BC <i>BCN</i>	Classification <i>Do not classify</i>
BI <i>BIN</i>	Binding: binding, reinforcing, laminating <i>Do not apply normal binding etc.</i>
BJ <i>BJN</i>	Sleeving: jackets, sleeves, wallets <i>Do not supply normal sleeving</i>
BP <i>BPN</i>	Audio/CD-ROM packaging: special pouches <i>Do not supply normal audio/CD-ROM packaging</i>
BS <i>BSN</i>	Security fitting: eg: triggers, Knogo labels <i>Do not apply usual security fitting</i>
CA <i>CAN</i>	Cataloguing: catalogue record supply <i>Do not supply catalogue record</i>
NF	Non-standard servicing: see free text in DE 4440
NS	No servicing
NX	Non-standard servicing: see instructions sent outside EDI
PF	Binding as supplied by publisher (cancels all normal servicing which affects binding, lamination, sleeving, wallets, reinforcement etc.)
JK <i>JKN</i>	Plastic wallet on a paperback <i>Do not supply plastic wallet</i>
KA <i>KAN</i>	Kapco: proprietary thick laminate film on a paperback <i>Do not apply Kapco</i>
LA <i>LAN</i>	Thin laminate film on a paperback <i>Do not laminate</i>
RE <i>REN</i>	Reinforcement of a hardback <i>Do not reinforce</i>
RP <i>RPN</i>	Reinforcement of a paperback <i>Do not reinforce</i>
SF <i>SFN</i>	Sewn flexi <i>Do not sew</i>
SL <i>SLN</i>	Plastic sleeve on a hardback <i>Do not sleeve</i>
TR <i>TRN</i>	Traditional case binding of a paperback <i>Do not case bind</i>
See DE 7161 for a list of codes used for special servicing charges, including the above.	

4441 EDItEUR book trade list 4B: Invoicing instructions	
BF	Invoice by fund (see code value BFN in RFF DE 1153): instruction by library to its supplier to issue separate invoices for each book fund
BS	Invoice binding separately: instruction by library to its supplier to issue a separate invoice for special binding
TI	Separate invoice required for each title

4441 EDItEUR book trade list 5B: Source reference
Codes which identify the source from which the order details were taken (eg: a national bibliography): use the EDItEUR/EDILIBE codes defined for bibliography numbers in DE 1153. (not currently recommended, but may be encountered in earlier implementations)

4441 EDItEUR book trade list 8B: Availability status code	
This list amalgamates lists 7B (Bookseller's report code) and 8B (Publisher's report code) although these lists may still be used separately where trading partners agree.	
AB	Publication abandoned (cancelled by publisher)
AD	Apply direct: item not available to trade
AU	Publisher's address unknown
CS	Status uncertain: check with customer service (used in situations when a coded response is inadequate)
FQ	Only obtainable abroad
HK	Paperback out of print: hardback available
IB	In stock (at wholesaler or bookseller)
IP	In print and in stock (at publisher)
MD	Manufactured on demand (with expected ship date in DTM segment if possible)
NK	Item not known (cannot be traced) – see also SN
NN	We do not supply this item
NP	Not yet published (with expected availability date in DTM segment if possible)
NQ	Not stocked
NS	Not sold separately
OB	Temporarily out of stock (at wholesaler or bookseller) (with expected availability date in DTM segment if possible)
OF	This format out of print: other format available (with format and availability details in another FTX segment)
OP	Out of print
OR	Out of print: (to be) replaced by new edition (with availability details of new edition in another FTX segment)
PK	Hardback out of print: paperback available (with availability details of paperback in another FTX segment)
PN	Publisher no longer in business
RE	Awaiting reissue (with expected availability date in DTM segment)

RF	Refer to other publisher or distributor (with identity of supplier in NAD segment)
RM	Remaindered
RP	Reprinting (with expected availability date in DTM segment)
RR	Rights restricted (cannot supply in this market)
SD	Sold (for unique copies of secondhand/antiquarian items)
SN	Our supplier cannot trace – see also NK
SO	Pack/set not available: available as single items only
ST	Stocktaking: temporarily unavailable
TO	Only to order
TU	Temporarily unavailable, reason unspecified (with expected availability date in DTM segment)
UB	Item unobtainable from our suppliers
UC	Unavailable; may or may not become available again (“reprint under consideration”)

4441 EDItEUR book trade list 9B: Order response coded text	
Codes used to explain certain types of order response.	
ACN	Credit account not established
ACS	Account on stop (credit orders not accepted due to non-payment or other dispute)

4441 EDItEUR book trade list 10B: Order priority code	
Codes used to indicate the priority which is to be attached to an order. The precise interpretation of different levels of priority is a matter for agreement between trading partners	
1	Highest priority under standard service
2	Higher priority
3	Normal priority
4	Lower priority
5	Lowest priority under standard service
H	Seasonal hotline
S	Special service

4441 EDItEUR book trade list 12B: Order action/status code	
100	Order line accepted (<i>response to new order line, report on outstanding order line</i>)
101	Price query: order line accepted, to be held awaiting customer response (<i>response to new order line</i>)
102	Discount query: order line accepted, to be held awaiting customer response (<i>response to new order line</i>)
103	Minimum order value not reached: order line accepted, to be held until required value is reached (<i>response to new order line</i>)
104	Firm order required: order line accepted, to be held awaiting customer response (<i>response to new order line</i>)

110	Order line accepted, substitute product will be supplied (<i>response to new order line</i>)
200	Order line not accepted (<i>response to new order line, report on outstanding order line</i>)
201	Price query: order line not accepted (<i>response to new order line</i>)
202	Discount query: order line not accepted (<i>response to new order line</i>)
203	Minimum order value not reached: order line not accepted (<i>response to new order line</i>)
205	Order line not accepted: quoted promotion is invalid (<i>response to new order line</i>)
206	Order line not accepted: quoted promotion has ended (<i>response to new order line</i>)
207	Order line not accepted: customer ineligible for quoted promotion (<i>response to new order line</i>)
210	Order line not accepted, substitute product is offered (<i>response to new order line</i>)
220	Outstanding order line cancelled: reason unspecified (<i>response on outstanding order line</i>)
221	Outstanding order line cancelled: past order expiry date (<i>report on outstanding order line</i>)
222	Outstanding order line cancelled by customer request (<i>response to order cancellation, report on outstanding order line</i>)
223	Outstanding order line cancelled – unable to supply (<i>report on outstanding order line</i>)
300	Order line passed to new supplier (<i>response to new order line</i>)
301	Order line passed to secondhand department (<i>response to new order line</i>)
400	Backordered – awaiting supply (<i>report on outstanding order line</i>)
401	On order from our supplier (<i>report on outstanding order line</i>)
402	On order from abroad (<i>report on outstanding order line</i>)
403	Backordered, waiting to reach minimum order value (<i>report on outstanding order line</i>)
404	Despatched from our supplier, awaiting delivery (<i>report on outstanding order line</i>)
405	Our supplier sent wrong item(s), re-ordered (<i>report on outstanding order line</i>)
406	Our supplier sent short, re-ordered (<i>report on outstanding order line</i>)
407	Our supplier sent damaged item(s), re-ordered (<i>report on outstanding order line</i>)
408	Our supplier sent imperfect item(s), re-ordered (<i>report on outstanding order line</i>)
409	Our supplier cannot trace order, re-ordered (<i>report on outstanding order line</i>)
410	Ordered item(s) being processed by bookseller (<i>report on outstanding order line</i>)
411	Ordered item(s) being processed by bookseller, awaiting customer action (<i>report on outstanding order line</i>)
412	Order line held awaiting customer instruction (<i>report on outstanding order line</i>)
413	Order has been chased to our supplier (<i>report on outstanding order line, or response to order chaser</i>)
500	Order line on hold – contact customer service (usually because account is stopped) (<i>response to new order line, report on outstanding order line</i>)
800	Order line already despatched/stock allocated for despatch (<i>response to order chaser or cancellation line</i>)
900	Cannot trace order line (<i>response to order chaser or cancellation line</i>)

901	Order line held: note title change (<i>report on outstanding order line</i>)
902	Order line held: note pubdate or availability date delay (<i>report on outstanding order line</i>)
903	Order line held: note price change (<i>report on outstanding order line</i>)
999	Temporary hold: order action not yet determined (<i>response to new order line</i>)

4441 EDItEUR serials list 1S: Despatch date notification type code

Codes used to indicate the reason for a journal issue despatch date notification.

1	Publication date change
2	Issues combined
99	Other, see free text in DE 4440

4441 EDItEUR serials list 2S: Claim response code

Codes used in ORDRSP, FTX segment 48, to indicate the response to a journal claim.

01	Replacement sent (quantity in QTY 43, date in DTM 44)
02	Order entered to start (quantity in QTY 43, date in DTM 44, reference in RFF 51)
03	Delay to publication (expected date in DTM 44)
04	Premature claim, claim again after (date in DTM 44)
05	Issue combined with (SICI of substitute in PIA 40)
06	Not yet published (expected date in DTM 44)
07	Never published (free text explanation in DE 4440 if required)
08	No such issue (free text explanation in DE 4440 if required)
09	Discontinued publication (last issue SICI in PIA 40)
10	Publication suspended, resumption unknown
11	Not available, subscription extended (to date in DTM 44)
12	Out of print, will reprint and supply
13	Out of print, complete volume must be purchased
14	Out of print, cannot be replaced or reordered
15	Out of print, available in microform only
16	Partially filled (quantity in QTY 43, expected date for remainder in DTM 44)
17	Shipped (quantity in QTY 43, date in DTM 44), please re-check
18	Out of stock, on backorder (quantity in QTY 43, expected date in DTM 44)
19	Beyond acceptable claim period, issue can be purchased (price in PRI 49)
20	Beyond acceptable claim period, can be purchased as part of a volume
21	Issue never published due to a frequency change (new frequency shown in DE 4440)
22	Item not included in subscription package
23	Issue not included in subscription period
24	Cancelled as requested (cancellation date in DTM 44)
25	Title changed, new title is (name in DE 4440)
26	No record of payment, supply order number and proof of payment

27	No record of an order, supply order information
28	Not our publication
29	No longer our publication (new publisher name in DE 4440)
30	Quantity claimed exceeds quantity ordered (both quantities in QTY 43)
31	Discontinued delivery, additional payment required (amount needed in DE 9012)
32	Claim under review, response will follow manually
99	Other, see free text in DE 4440

4441 EDItEUR serials list 3S: Reason for adjustment codes (based on SISAC invoice adjustment codes)

A	Increase or decrease in publisher price
B	Increase or decrease in number of volumes, issues, pages
C	Addition or exclusion of supplementary material
D	Increase or decrease in order quantity
E	Change to subscription invoicing period
F	Change in currency exchange rate
FF	Free form explanation, see Composite C108
G	Change in rate classification
H	Publisher or agent price error
J	Included in membership or combination package
K	Two or more titles merged
L	Bill-later item
M	No charge: to be billed later
N	Credit: item not due for renewal
O	Credit: item must be ordered direct from publisher
P	Credit: item ceased publication
R	Credit: publication suspended, will bill later
S	Credit: cancelled by customer
T	Credit: availability restricted – apply to publisher
U	Credit: duplicate order
V	Credit: material out of print
X	Other adjustment

4441 EDItEUR serials list 4S: Journal order type codes

ADD	Addition of one or more copies to an existing order
NEW	New subscription
REN	Renewal
TFA	Transfer from another agent
TFD	Transfer from direct publisher subscription

4451 an..3 Test subject qualifier	
Code specifying subject of a free text. Mandatory in all FTX segments in all messages. <i>Codes used in EDItEUR applications:</i>	
ALL	All documents: text to be included in all documents relating to the transaction.
GEN	Entire transaction set: coded or free text applies to the whole message: use only in an FTX segment in a message header
LIN	Line item: coded or free text applies to the current line item only: use only in an FTX segment in a detail line
SUB	Substituted product: coded or free text applies to a product which has been substituted for the item ordered (<i>EDItEUR code</i>)

5000

5025 an..3 Monetary amount type qualifier	
Indication of type of amount. Mandatory in all MOA segments in all messages. <i>Codes used in EDItEUR applications:</i>	
8	Allowance or charge amount: total amount of allowance or charge
9	Amount due/amount payable: amount to be paid after all taxes, prepayments and settlement discount
39	Invoice total amount: total sum charged in respect of one or more invoices in accordance with the terms of delivery
52	Discount amount: use for line discount amount
56	Tax basis amount: use for unit price amount taxable
66	Line item amount (exclusive of allowances and charges): goods item total excluding any allowances or charges for the line item (see also code 203)
79	Total line item amounts: includes charges or allowances specified at line level, but excludes all tax, and charges or allowances specified at invoice header level
86	Message total monetary amount: total invoice amount due including tax, allowances and charges, but excluding any settlement discount
109	Payment discount amount: amount subject to payment discount
113	Prepaid amount: amount which has been paid in advance
122	Invoice total before tax after settlement discount: the amount coded 129 after settlement discount (if any) has been deducted
124	Amount of tax payable: tax imposed by government or other official authority related to the weight/volume charge or valuation charge
125	Taxable amount: the monetary amount liable to tax
128	Total amount: the total amount due for an order line, including line level allowances, charges and tax

129	Total amount subject to payment discount: amount on which settlement discount is to be calculated, including all allowances and charges, from both header and detail sections, but excluding tax
131	Total allowance or charge amount: the invoice total for an allowance or charge applied to invoiced items or to the invoice as a whole
146	Unit price: reporting monetary amount is "per unit" amount
150	Value added tax: amount in national currency resulting from the application, at the appropriate rate, of value added tax (or similar tax) to the invoice amount subject to such tax
176	Message total tax amount: total of all tax amounts
203	Line item amount: after line level allowances and charges have been applied, excluding any tax
259	Total charges: total of all ancillary charges made at header or line level
260	Total allowances: total of all allowances stated at header or line level

5125 an..3 Price qualifier	
Identification of a type of price. Mandatory in all PRI segments in all messages. <i>Codes used in EDItEUR applications:</i>	
AAA	Calculation price net: the unit price which will actually be charged by a supplier excluding tax but including any allowances or charges)
AAB	Calculation price gross: supplier's unit price excluding taxes, allowances or charges
AAE	Information price, including tax but excluding any allowances or charges
AAF	Information price, including all taxes, allowances or charges
BBB	Calculation price, including taxes and excluding allowances and charges (<i>EDItEUR code</i>)
ORD	Price stated in order line, when this is different from the supplier's current price (<i>EDItEUR code</i>)

5153 an..3 Duty/tax/fee type, coded	
Identification of the type of duty or tax or fee applicable to commodities or of tax applicable to services. If national codes are needed, use with DE 1131/3055. <i>Codes used in EDItEUR applications:</i>	
GST	Goods and services tax
IMP	Import tax
VAT	Value added tax: a tax on domestic or imported goods applied to the value added at each stage in the production/distribution cycle

5245 an..3 Percentage qualifier	
Identification of the usage of a percentage. Mandatory in all PCD segments.	
<i>Code(s) used in EDItEUR applications:</i>	
3	Allowance or charge

5249 an..3 Percentage basis, coded	
Indication of the application of a percentage. Mandatory in PCD segment 28 in the INVOIC message.	
<i>Codes used in EDItEUR applications:</i>	
4	Per unit price: use if the allowance or charge is calculated as a percentage of the price of the goods only, excluding any ancillary charges
13	Invoice value: use if the allowance or charge is calculated as a percentage of the whole invoice value, including the price of the goods and any ancillary charges

5283 an..3 Duty/tax/fee function qualifier	
Code identifying the function of any duty, tax or fee information.	
<i>Code(s) used in EDItEUR applications:</i>	
7	Tax

5305 an..3 Duty/tax/fee category, coded	
Code identifying in a tax/duty/fee category within a tax/duty/fee type system.	
<i>Codes used in EDItEUR applications:</i>	
A	Mixed tax rate: transaction includes items taxed at different rates
E	Exempt from tax
G	Export item, tax not charged
H	Higher rate
L	Lower rate (<i>EDItEUR code</i>)
S	Standard rate
Z	Zero rated

5375 an..3 Price type, coded	
Code identifying the type of price of an item. Optional in all PRI segments in all messages. <i>Codes used in EDItEUR applications:</i>	
AAL	Old price: use for “last known price” or “previous catalogue price” (<i>transferred from code list DE 5387</i>)
AAQ	Firm price: use for price guaranteed by agent (<i>transferred from code list DE 5387</i>)
CA	Catalogue price: use for publisher’s list price
CP	Current price, as directly verified with publisher (<i>transferred from code list DE 5387</i>)
DI	Distributor’s price: price set by dealer, distributor or importer
NE	Buyer’s price limit (not-to-exceed price) (<i>EDItEUR code</i>)
OR	Order price (<i>EDItEUR code</i>): price which was given in the buyer’s order
PV	Provisional price: use if publisher’s firm price is not known at quotation date
QT	Quoted price

5387 an..3 Price type qualifier	
Code providing additional qualification of the type of price. Optional in all PRI segments in all messages. <i>Codes used in EDItEUR applications:</i>	
ABC	Member price
ABD	Pre-payment price
DPR	Discount price
FOC	Free of charge (<i>EDItEUR code</i>)
NQT	Price not known
PRF	Promotional price (<i>EDItEUR code</i>): similar to PRP, but subject to retail price maintenance
PRP	Promotional price: suggested retail price applicable during the period of a special promotion, including a pre-publication price, not under retail price maintenance
RTP	Retail price: unit price, subject to retail price maintenance
SRP	Suggested retail price: unit price, not under retail price maintenance

5419 an..3 Rate type qualifier	
Identification of the type of rate.	
1	Allowance rate
2	Charge rate

5463 an..3 Allowance or charge qualifier	
Specification of an allowance or charge for the service specified. Mandatory in all ALC segments. <i>Codes used in EDItEUR applications:</i>	
A	Allowance: deduction, in the form of a rate, amount, percentage or quantity, from the price charged for the product
C	Charge: addition, in the form of a rate, amount, percentage or quantity, to the price charged for the product

5495 an..3 Sub-line indicator, coded	
Indication that the segment and/or segment group is used for sub-line item information. Mandatory in each occurrence of Composite C829 in all messages.	
1	Sub-line information: indicates that the current line is a sub-line

6000

6063 an..3 Quantity qualifier	
Code giving specific meaning to a quantity. Mandatory in all QTY segments in all messages. <i>Codes used in EDItEUR applications:</i>	
1	Discrete quantity: use for quantity quoted, claim response quantity
11	Split quantity: part of the whole quantity of an order line, in QTY segments in a LOC-QTY-DTM segment group
12	Despatched quantity: quantity despatched by the supplier
12B	Quantity sent on approval (<i>EDItEUR code</i>)
21	Ordered quantity
46	Delivered quantity
47	Invoiced quantity
52	Quantity per pack: the quantity contained in the currently identified pack
59	Number of consumer units in the traded unit: the number of consumer units (package size of a product agreed between trading partners as the unit crossing the retail point of sale) in a traded unit to be ordered, delivered and invoiced
61	Return quantity: use in a debit note for the number of items returned
70	Cumulative quantity delivered to date
73	Outstanding quantity
83	Backorder quantity: outstanding quantity, recorded as 'due', to be supplied later
85	Quantity cancelled
113	Quantity to be delivered
121	Overshipped: the number of excess copies received
124	Damaged quantity: use in a debit note for the number of items returned

130	Quantity allowed for credit
135	Period quantity, planned: use in serials to record the expected number of issues in the invoicing period
182	Cancelled quantity

6069 an..3 Control qualifier

Determines the source data elements in the message which form the basis for DE 6066 *Control value*. Mandatory in all CNT segments in all messages.

Codes used in EDItEUR applications:

1	Total value of the quantity (QTY) segments at line level in a message
2	Number of line items in message: self-explanatory
12	Invoice total amount

6311 an..3 Measurement application qualifier

Specification of the application of the physical measurement used. Mandatory in all MEA segments.

Code(s) used in EDItEUR applications:

PD	Physical dimensions
----	---------------------

6313 an..3 Measurement dimension, coded

Specification of the type of dimension to be measured. Mandatory in all MEA segments.

Codes used in EDItEUR applications:

AAA	Unit net weight
HT	Height: use for spine height in mm
TH	Thickness: use for spine thickness in mm
WD	Width: use for cover or case width in mm

6343 an..3 Currency qualifier

Code giving specific meaning to DE 6345 Currency. Mandatory in each occurrence of Composite C504 in all CUX segments in all messages.

Codes used in EDItEUR applications:

4	Invoicing currency
8	Price list currency
9	Order currency
10	Pricing currency: a currency in which a price is quoted and which is not the default currency of the message
11	Payment currency: a currency in which payment may be made and which is not the default currency of the message
12	Quotation currency

6345 an..3 Currency, coded			
Identification of the monetary unit involved in the transaction. Use ISO 4217 three-alpha code. Mandatory in each occurrence of Composite C504 in all CUX segments in all messages.			
<i>Alphabetical by code</i>		<i>Alphabetical by currency</i>	
AED	UAE Dirham	Afghani	AFA
AFA	Afghani	Algeria Dinar	DZD
ALL	Lek	Argentina Peso	ARS
ANG	Netherlands Antilles Guilder	Arubean Guilder	AWD
AOK	Kwanza	Australia Dollar	AUD
ARS	Argentina Peso	Bahamas Dollar	BSD
ATS	Schilling	Bahraini Dinar	BHD
AUD	Australia Dollar	Barbados Dollar	BBD
AWD	Arubean Guilder	Belgian Franc	BEF
BBD	Barbados Dollar	Belize Dollar	BZD
BDT	Taka	Bermuda Dollar	BMD
BEF	Belgian Franc	Bolivia Peso	BOB
BGL	Bulgaria Lev	Brazil Cruzeiro	BRC
BHD	Bahraini Dinar	Brunei Dollar	BND
BIF	Burundi Franc	Bulgaria Lev	BGL
BMD	Bermuda Dollar	Burundi Franc	BIF
BND	Brunei Dollar	CFA Franc BCEAO	XOF
BOB	Bolivia Peso	CFA Franc BEAC	XAF
BRC	Brazil Cruzeiro	CFP Franc	XPF
BSD	Bahamas Dollar	Canada Dollar	CAD
BTN	Ngultrum	Cape Verde Escudo	CVE
BUK	Kyat	Cayman Islands Dollar	KYD
BWP	Pula	Cedi	GHC
BZD	Belize Dollar	Chile Peso	CLP
CAD	Canada Dollar	Colombia Peso	COP
CHF	Swiss Franc	Comorian Franc	KMF
CLP	Chile Peso	Costa Rica Colon	CRC
CNY	Yuan Renminbi	Croatia Dinar	HRD
COP	Colombia Peso	Cuba Peso	CUP
CRC	Costa Rica Colon	Cyprus Pound	CYP
CUP	Cuba Peso	Czech Republic Koruna	CZK
CVE	Cape Verde Escudo	Dalasi	GMD
CYP	Cyprus Pound	Danish Krone	DKK
CZK	Czech Republic Koruna	Deutsche Mark	DEM
DEM	Deutsche Mark	Djibouti Franc	DJF

DJF	Djibouti Franc	Dobra	STD
DKK	Danish Krone	Dominica Peso	DOP
DOP	Dominica Peso	Dong	VND
DZD	Algeria Dinar	East Caribbean Dollar	XCD
ECS	Sucre Ecuador	Egypt Pound	EGP
EEK	Estonia Kroon	Ekwele	GQE
EGP	Egypt Pound	El Salvador Colon	SVC
ESP	Spanish Peseta	Estonia Kroon	EEK
ETB	Ethiopia Birr	Ethiopia Birr	ETB
EUR	Euro	Euro	EUR
FIM	Markka	Falkland Islands Pound	FKP
FJD	Fiji Dollar	Fiji Dollar	FJD
FKP	Falkland Islands Pound	French Franc	FRF
FRF	French Franc	Gibraltar Pound	GIP
GBP	Pound Sterling	Gourde	HTG
GHC	Cedi	Greece Drachma	GRD
GIP	Gibraltar Pound	Guinean Franc	GNF
GMD	Dalasi	Guinea-Bissau Peso	GWP
GNF	Guinean Franc	Guyana Dollar	GYP
GQE	Ekwele	Hong Kong Dollar	HKD
GRD	Greece Drachma	Hungary Forint	HUF
GTQ	Quetzal	Iceland Krona	ISK
GWP	Guinea-Bissau Peso	India Rupee	INR
GYP	Guyana Dollar	Iran Rial	IRR
HKD	Hong Kong Dollar	Iraq Dinar	IQD
HNL	Lempira	Irish Pound	IEP
HRD	Croatia Dinar	Italy Lira	ITL
HTG	Gourde	Jamaica Dollar	JMD
HUF	Hungary Forint	Jordan Dinar	JOD
IDR	Rupiah	Kenya Shilling	KES
IEP	Irish Pound	Kina	PGK
ILS	Shekel	Kip	LAK
INR	India Rupee	Kuwait Dinar	KWD
IQD	Iraq Dinar	Kwacha	MWK
IRR	Iran Rial	Kwacha	ZMK
ISK	Iceland Krona	Kwanza	AOK
ITL	Italy Lira	Kyat	BUK
JMD	Jamaica Dollar	Latvia Rouble	LVR
JOD	Jordan Dinar	Lebanon Pound	LBP

JPY	Yen	Lek	ALL
KES	Kenya Shilling	Lempira	HNL
KHR	Riel	Leone	SLL
KMF	Comorian Franc	Liberia Dollar	LRD
KPW	North Korea Won	Libya Dinar	LYD
KRW	Won	Lilangeni	SZL
KWD	Kuwait Dinar	Luxembourg Franc	LUF
KYD	Cayman Islands Dollar	Malagasy Franc	MGF
LAK	Kip	Malaysia Ringgit	MYR
LBP	Lebanon Pound	Maldives Rupee	MVR
LKR	Sri Lanka Rupee	Maloti	LSM
LRD	Liberia Dollar	Malta Lira	MTL
LSM	Maloti	Markka	FIM
LUF	Luxembourg Franc	Mauritius Rupee	MUR
LVR	Latvia Rouble	Metical	MZM
LYD	Libya Dinar	Mexico Nuevo Peso	MXN
MAD	Morocco Dirham	Morocco Dirham	MAD
MGF	Malagasy Franc	Naira	NGN
MNT	Tugrik	Nepal Rupee	NPR
MOP	Pataca	Netherlands Antilles Guilder	ANG
MRO	Ouguiya	Netherlands Guilder	NLG
MTL	Malta Lira	New Zealand Dollar	NZD
MUR	Mauritius Rupee	Ngultrum	BTN
MVR	Maldives Rupee	Nicaragua Cordoba Oro	NIO
MWK	Kwacha	North Korea Won	KPW
MXN	Mexico Nuevo Peso	Norway Krone	NOK
MYR	Malaysia Ringgit	Ouguiya	MRO
MZM	Metical	Pa'anga	TOP
NGN	Naira	Pakistan Rupee	PKR
NIO	Nicaragua Cordoba Oro	Panama Balboa	PAB
NLG	Netherlands Guilder	Paraguay Guarani	PYG
NOK	Norway Krone	Pataca	MOP
NPR	Nepal Rupee	Peru Nuevo Sol	PEN
NZD	New Zealand Dollar	Philippine Peso	PHP
OMR	Rial Omani	Portugal Escudo	PTE
PAB	Panama Balboa	Pound Sterling	GBP
PEN	Peru Nuevo Sol	Pula	BWP
PGK	Kina	Qatari Riyal	QAR
PHP	Philippine Peso	Quetzal	GTQ

PKR	Pakistan Rupee	Rial Omani	OMR
PLZ	Zloty	Riel	KHR
PTE	Portugal Escudo	Romania Leu	ROL
PYG	Paraguay Guarani	Rupiah	IDR
QAR	Qatari Riyal	Russia Rouble	RUR
ROL	Romania Leu	Rwanda Franc	RWF
RUR	Russia Rouble	St. Helena Pound	SHP
RWF	Rwanda Franc	Saudi Riyal	SAR
SAR	Saudi Riyal	Schilling	ATS
SBD	Solomon Islands Dollar	Seychelles Rupee	SCR
SCR	Seychelles Rupee	Shekel	ILS
SDP	Sudan Pound	Singapore Dollar	SGD
SEK	Sweden Krona	Slovakia Koruna	SKK
SGD	Singapore Dollar	Slovenia Tol	SIT
SHP	St. Helena Pound	Solomon Islands Dollar	SBD
SIT	Slovenia Tol	Somali Shilling	SOS
SKK	Slovakia Koruna	South Africa Rand	ZAR
SLL	Leone	Spanish Peseta	ESP
SOS	Somali Shilling	Sri Lanka Rupee	LKR
SRG	Suriname Guilder	Sucre Ecuador	ECS
STD	Dobra	Sudan Pound	SDP
SVC	El Salvador Colon	Suriname Guilder	SRG
SYP	Syria Pound	Sweden Krona	SEK
SZL	Lilangeni	Swiss Franc	CHF
THB	Thailand Baht	Syria Pound	SYP
TND	Tunisia Dinar	Taiwan Dollar, New	TWD
TOP	Pa'anga	Taka	BDT
TPE	Timor Escudo	Tala	WST
TRL	Turkey Lira	Tanzania Shilling	TZS
TTD	Trinidad & Tobago Dollar	Thailand Baht	THB
TWD	Taiwan Dollar, New	Timor Escudo	TPE
TZS	Tanzania Shilling	Trinidad & Tobago Dollar	TTD
UGS	Uganda Shilling	Tugrik	MNT
USD	US Dollar	Tunisia Dinar	TND
UYU	Uruguay Peso	Turkey Lira	TRL
VEB	Venezuela Bolivar	UAE Dirham	AED
VND	Dong	Uganda Shilling	UGS
VUV	Vatu	US Dollar	USD
WST	Tala	Uruguay Peso	UYU

XAF	CFA Franc BEAC	Vatu	VUV
XCD	East Caribbean Dollar	Venezuela Bolivar	VEB
XOF	CFA Franc BCEAO	Won	KRW
XPF	CFA Franc	Yemeni Dinar	YDD
YDD	Yemeni Dinar	Yemeni Rial	YER
YER	Yemeni Rial	Yen	JPY
YUG	Yugoslavia Dinar	Yuan Renminbi	CNY
ZAR	South Africa Rand	Yugoslavia Dinar	YUN
ZMK	Kwacha	Zaire	ZRZ
ZRZ	Zaire	Zimbabwe Dollar	ZWD
ZWD	Zimbabwe Dollar	Zloty	PLZ

6347 an..3 Currency details qualifier	
Specification of the usage to which the currency relates. Mandatory in each occurrence of Composite C504 in all CUX segments in all messages.	
<i>Codes used in EDItEUR applications:</i>	
2	Reference currency: the currency applicable to amounts stated, and from which an exchange rate conversion may be made
3	Target currency: the currency to which an exchange rate conversion is made

6411 an..3 Measure unit qualifier	
Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed. See UN/ECE Recommendation 20. Mandatory in MEA segments in EDItEUR applications.	
<i>Codes used in EDItEUR applications:</i>	
GRM	Gram
MMT	Millimetre

7000

7009 an..7 Item description identification	
Code from an industry code list which describes a product characteristic. Mandatory in all IMD segments in all messages if DE 7077 = B or C.	
<i>Codes used in EDItEUR applications:</i>	
<i>Tradable item status codes: used with DE 7081 = TRD</i>	
CU	Consumer unit (<i>EAN code</i>): a product unit or package sold at the retail point of sale
MU	Unit traded only as a number of separate parts (<i>EDItEUR code</i>)
PU	Unit traded only as part of a larger unit (<i>EDItEUR code</i>)
SS	Set or series for which a continuation order (or standing order) may be placed (<i>EDItEUR code</i>)
TU	Traded unit (<i>EAN code</i>): a product unit or package which may be ordered, delivered and invoiced between EDI trading partners, which is not a consumer unit

7009 EDItEUR book trade list 11b: Format/media code: used with DE 7081 = BFM	
<i>(not currently recommended, but may be encountered in earlier implementations)</i>	
Codes used to indicate the binding or format of a book or other non-serial publication.	
<i>Books: binding or presentation</i>	
With the exception of LE, these codes are used to identify or describe publishers' bindings	
BD	Board book
BH	Bath book
BK	Book (irrespective of binding): use only when no binding detail is available
BX	Boxed (including slip-cases): use in combination with HB, PB etc.
CA	Carousel book
	Cloth book see RG
CO	Concertina
HB	Hardback
JN	No dust jacket: use in combination with HB
JY	With dust jacket: use in combination with HB
LA	Laminated (plastic-reinforced paper)
LB	Leather binding
LE	Library supplier's special bound edition: use where the supplier offers libraries a complete alternative to a publisher's binding
LI	Limp cloth
LL	Loose-leaf binder (binder only, without contents)
LR	Loose-leaf release (set of update pages)

LS	Loose-leaf volume(s) (complete publication in binder)
MB	Moving picture book
NB	Novelty book (not classifiable under any more specific code)
PB	Paperback
PC	Postcard book or pack
PU	Pop-up book
RG	Rag book, cloth book
SD	Stitched: use in combination with PB etc.
SK	Sticker book
SP	Spiral binding
SS	Sound story book
UB	Unusual size book
UG	Giant book
UM	Miniature book
<i>Non-book media and other merchandise</i>	
AC	Audio cassette
AD	Address book
CA	Calendar
CD	CD audio
CI	CD-I
CM	CD-ROM
CP	Copymasters, photocopiable sheets
CR	Computer readable data or software (tape, diskette etc: but for CD-ROM use CM)
CS	Cards, flash cards (eg: for teaching reading)
DA	Diary
FI	Film (including filmstrip)
■	Flash cards see CS
FO	Folded: use in combination with MP
FS	Flat sheet: use in combination with MP
FR	Frieze
GA	Game
KT	Kit
LP	Sound disc (excluding CD)
ME	Microfiche
MI	Mixed media (eg: book and cassette)
MM	Microfilm (ie: roll film)
MP	Map
MU	Printed music (sheet or bound)

OH	OHP transparencies
OT	Other
PI	Picture(s) or photograph(s)
PK	Pack (containing multiple copies of the same product, eg: dumpbin or shrink-wrapped pack, for supply wholesale to a bookseller). Use MI for mixed-media pack
PO	Poster
PT	Pamphlet or brochure
SL	Slides (ie: photographic transparencies)
ST	Stationery, miscellaneous
TD	Merchandise related to books or other publications, not specifically defined elsewhere
VC	Video cassette
WT	Wallet (containing loose sheets etc., eg: a teaching resource pack)

7065 an..7 Type of packages identification

Coded description of the form in which goods are presented. Mandatory in all PAC segments in EDItEUR applications.

Codes used in EDItEUR applications:

BRC	Book trade standard returnable container (UK) (<i>EDItEUR code</i>)
PK	Package
PLL	Pallet (<i>EDItEUR code</i>)

7077 an..3 Item description type, coded

Code indicating the format of a description. Mandatory in all IMD segments in all messages.

Codes used in EDItEUR applications:

C	<i>Code (from industry code list) – do not use in new implementations</i>
F	<i>Free-form text – do not use in new implementations</i>
L	Free-form text usually based on library cataloguing rules (<i>EDItEUR code</i>)

7081 an..3 Item characteristic, coded			
Code specifying the item characteristic being described. Mandatory in all IMD segments.			
The following list of EDItEUR codes covers the requirements of the general book and serials trade and also the requirements of library supply.			
Unless specifically stated alpha codes are to be used with DE 7077 = F and numeric codes with DE 7077 = L. Related UNIMARC tags are shown alongside each data element (where applicable).			
<i>Note: alpha codes should no longer be used in new implementations. However, they may be encountered in earlier implementations and are, therefore, included for reference.</i>			
<i>Alpha</i>	<i>Num.</i>	<i>Description</i>	<i>Unimarc</i>
<i>BFM</i>		Format code: use with DE 7077 = C	
<i>BST</i>	001	*** Short author/title description (book)	
<i>JSU</i>		Journal subscription package: "free text description of the content of a journal subscription package"	
<i>BAU</i>	009	*** Name of book author, editor or other contributor (unstructured)	
	010	*** First personal name (entry element)	700 \$a
	011	Part of that name other than the entry element (forename)	700 \$b
	012	Roman numerals as part of a personal name	700 \$d
	013	Dates relating to a personal name	700 \$f
	014	Relator designation, eg: author, editor etc.	700 \$4
	020	Second personal name (entry element)	700 \$a
	021	Part of that name other than the entry element (forename)	700 \$b
	022	Roman numerals as part of a personal name	700 \$d
	023	Dates relating to a personal name	700 \$f
	024	Relator designation, eg: author, editor etc.	700 \$4
	030	First corporate name (entry element)	710 \$a
	031	Subdivision	710 \$b
	032	Number of meeting	710 \$d
	033	Location of meeting	710 \$e
	034	Date of meeting	710 \$f
	040	Second corporate name (entry element)	710 \$a
	041	Subdivision	710 \$b
	042	Number of meeting	710 \$d
	043	Location of meeting	710 \$e
	044	Date of meeting	710 \$f
<i>BTI</i>	050	Title - *** Book title	200 \$a
<i>JTI</i>		Journal title	
	060	Other title information (subtitle)	200 \$e

	065	Statement of responsibility	
	075	Frequency	326 \$a
<i>BVP</i>	080	*** Number of a part	200 \$i
<i>JVI</i>		Journal volume and/or issue identification: free text description, or may carry structured text in a format proprietary to a subscription agent, if so agreed between trading partners	
<i>JSS</i>	085	Start from volume	
<i>JSE</i>	086	Journal subscription end volume/issue	
<i>BTV</i>	090	Volume title	200 \$h
<i>BEN</i>	100	*** Edition statement	205 \$a
	101	Issue or additional edition statement	205 \$b
<i>BPU</i>	109	*** Publisher (unstructured)	
	110	*** Place of first publisher or distributor	210 \$a
	111	Place of manufacturer	210 \$e
	120	Name of first publisher or distributor	210 \$c
	121	Name of manufacturer	210 \$g
	130	Address of first publisher or distributor	210 \$b
	131	Address of manufacturer	210 \$f
	140	Place of second publisher or distributor	210 \$a
	150	Name of second publisher or distributor	210 \$c
	160	Address of second publisher or distributor	210 \$b
<i>BPD</i>	170	*** Date of publication: use with DE 7077 = F or L	210 \$d
	171	Date of manufacture	210 \$h
	180	Specific material designation and extent (pages)	215 \$a
<i>BPH</i>	181	Other physical details	215 \$c
<i>JMC</i>		Journal media/component description: "free text description of the medium of a journal item claimed, or of the item itself when it is a component of a journal issue, not the complete issue"	
	182	Dimensions	215 \$d
	183	Accompanying material	215 \$e
	190	First series	225 \$a
	191	Series part number (number of a subseries)	225 \$h
	192	Name of a series part (title of a subseries)	225 \$i
	193	Statement of responsibility	225 \$f
	194	Volume designation	225 \$v
	200	Second series	225 \$a
	201	Series part number (number of a subseries)	225 \$h
	202	Name of a series part (title of a subseries)	225 \$i

	203	Statement of responsibility	225 \$f
	204	Volume designation	225 \$v
	210	Third series	225 \$a
	211	Series part number (number of a subseries)	225 \$h
	212	Name of a series part (title of a subseries)	225 \$i
	213	Statement of responsibility	225 \$f
	214	Volume designation	225 \$v
<i>BBD</i>	220	*** Binding	010 \$b
	221	Format code	
	230	Dewey Decimal Classification	676 \$a
	240	Library of Congress Classification	680 \$a
	250	Other classification	686
	260	First subject (biographical)	600
	270	Second subject (topical)	606
	280	Third subject (geographical)	607
	290	Type of publication (eg: thesis)	328 \$a
	300	General notes, eg: cover title, parallel title etc.	300 \$a
	310	Summary or abstract	
	320	Selection criteria, eg: level of publication, readership etc.	
<i>Note: *** subset recommended for brief description</i>			

7143 an..3 Item number type, coded	
Identification of the type or item number. Mandatory in each occurrence of Composite C212 in LIN and PIA segments in all messages. Only the code value EN may be used in LIN segments.	
<i>Codes used in EDItEUR applications:</i>	
CN	Catalogue entry number (<i>EDItEUR code</i>): an entry number in a booklist or catalogue produced by the supplier, particularly in the antiquarian book trade
CT	Continuation (<i>EDItEUR code</i>): indicates that an occurrence of Composite C212 is a continuation of an identification code in the preceding occurrence of the Composite (may occur with SICI)
EN	International Article Numbering Association (EAN): number assigned to a manufacturer's product according to the International Article Numbering Association
IB	ISBN (International Standard Book Number)
IM	ISMN (International Standard Music Number)
IN	Buyer's item number: number assigned to an article by the buyer
IS	ISSN (International Standard Serial Number)
MF	Manufacturer's (producer's) article number: the number given to an article by its manufacturer, when this is not an ISBN, ISMN, ISSN, SICI or EAN article number

SA	Supplier's article number: number assigned to an article by the supplier, when this is not an ISBN, ISMN, ISSN, SICI or EAN article number
SI	SICI (Serial Item and Contribution Identifier) (<i>EDItEUR code</i>)
SP	Partial SICI (<i>EDItEUR code</i>): formed by following the rules for the chronology and enumeration elements of the SICI, but omitting ISSN and check digit

7161 an..3 Special services, coded	
Code identifying a special service. May be required in an ALC segment.	
<i>Codes used in EDItEUR applications:</i>	
A17	All adjustments combined (<i>SISAC serial invoice allowance/charge type code</i>)
A31	Air express charge (<i>SISAC serial invoice allowance/charge type code</i>)
A32	Air transportation charge (<i>SISAC serial invoice allowance/charge type code</i>)
A69	Bulk mail charge (<i>SISAC serial invoice allowance/charge type code</i>)
A79	Payment on account (<i>SISAC serial invoice allowance/charge type code</i>)
A96	Carrier charge (<i>SISAC serial invoice allowance/charge type code</i>)
ABK	Miscellaneous charge
AJ	Miscellaneous credit adjustment
B29	Postage and handling combined (<i>SISAC serial invoice allowance/charge type code</i>)
BA	Supply of approvals/book collections (<i>EDItEUR code</i>)
BB	Barcode labelling (<i>EDItEUR code</i>)
BC	Classification (<i>EDItEUR code</i>)
BG	General servicing by library bookseller (<i>EDItEUR code</i>): cards, pockets, stamps
BI	Binding (<i>EAN code</i>): code identifying special binding services: binding, reinforcing, laminating
BJ	Sleeving (<i>EDItEUR code</i>): jackets, sleeves, wallets
BM	Data communication (<i>EDItEUR code</i>): tapes, disks, e-mail charges eg: for catalogue record supply
BN	Miscellaneous servicing (<i>EDItEUR code</i>)
BP	Audio/CD-ROM packaging (<i>EDItEUR code</i>): special pouches
BS	Security fitting (<i>EDItEUR code</i>): eg: triggers, Knogo labels
C04	Special delivery (<i>SISAC serial invoice allowance/charge type code</i>)
C26	Discount given by agent (<i>SISAC serial invoice allowance/charge type code</i>)
C35	Discount given by publisher (<i>SISAC serial invoice allowance/charge type code</i>)
C70	Courier delivery (<i>SISAC serial invoice allowance/charge type code</i>)
CA	Cataloguing services: use for catalogue record supply
CB	Commission
D01	Fax charges (<i>SISAC serial invoice allowance/charge type code</i>)
D20	Air freight (<i>SISAC serial invoice allowance/charge type code</i>)
D50	Handling (<i>SISAC serial invoice allowance/charge type code</i>)

D80	Registered surface mail (<i>SISAC serial invoice allowance/charge type code</i>)
DI	Discount
DL	Delivery charge: use also for freight charge, postage charge
E51	Postage cost (<i>SISAC serial invoice allowance/charge type code</i>)
E52	First class mail (<i>SISAC serial invoice allowance/charge type code</i>)
E89	Sea mail (<i>SISAC serial invoice allowance/charge type code</i>)
ER	Exchange rate guarantee charge
F46	Air mail (<i>SISAC serial invoice allowance/charge type code</i>)
F76	Agent check-in charge (<i>SISAC serial invoice allowance/charge type code</i>)
G74	Service charge (<i>SISAC serial invoice allowance/charge type code</i>)
G98	Data storage cost (<i>SISAC serial invoice allowance/charge type code</i>)
H04	Registered air mail (<i>SISAC serial invoice allowance/charge type code</i>)
HD	Handling charge: eg: small order surcharge
IN	Insurance charge
LD	Library discount (<i>EDItEUR code</i>)
MAC	Small order surcharge
PAB	Postage charge
PC	Packing charge
PP	Postage and packing (<i>EDItEUR code</i>)
SH	Special handling
TD	Trade discount

7405 an..3 Identity number qualifier

Not used in EANCOM. Used by EDItEUR to carry a code which specifies the type of copy-related data held in an accompanying DE 7402. At least one occurrence is mandatory in all GIR segments.

Codes used in EDItEUR applications:

LAC	Accession number or barcode number
LAF	First accession number: the first accession number in a continuous sequential range
LAL	Last accession number: the last accession number in a continuous sequential range
LCL	Classification: a subject class number. (The scheme – eg: Dewey, LC – from which the class number is taken is not specified)
LCO	Unique copy id: a unique identifier of an individual copy, other than the accession number or barcode number (may be assigned by library system at the time of creating an order)
LCV	Copy value: the replacement cost of an individual copy, which may not be the same as the price paid, and may not be the same for all copies ordered (DE 7402 format n..15)
LFH	Feature heading: a further means of subdividing subject classes for shelving purposes
LFN	Fund allocation: a fund allocation code and, where the purchase price is to be split between 2 or more funds, the percentage and/or the amount allocated to the specified fund (DE 7402 format an..19, n..4, n..10 for fund code, %, amount)

LFS	Filing suffix: a suffix added to a subject class number to further specify a shelf location
LLN	Loan category: library's own code or other designation which specifies the loan status of an item (see also LST)
LLO	Branch or location code
LLS	Label sublocation (<i>Specific to OCLC</i>)
LQT	Part-order quantity: the quantity in a part-order, sent as an integer in DE 7402
LRS	Record sublocation (<i>Specific to OCLC</i>)
LSM	Shelfmark or spine label: complete contents of a shelfmark or spine label which defines a shelving location, and which typically includes a number of elements which may also, or alternatively, be sent in separate occurrences of GIR C206
LSQ	Sequence code: identifies that stock is to be shelved in specified sequence
LST	Stock category: identifies a stock category eg: "children's fiction". May sometimes be used to specify loan status eg "2-week loan collection" (see also LLN)
LSZ	Size code: indicates that stock is to be shelved separately by reason of size or format
LVC	Servicing instruction code: code from EDItEUR list 3B which specifies a special servicing requirement
LVT	Servicing instruction text: plain text which specifies a special servicing requirement

8000

8051 an..3 Transport stage qualifier	
Qualifier giving a special meaning to the transport details. Mandatory in all TDT segments in all messages.	
<i>Code(s) used in EDItEUR applications:</i>	
20	Main-carriage transport: the primary stage in the movement of cargo from the point of origin to the intended destination

8179 an..8 Type of means of transport identification	
Code defining the type of the means of transport being utilized. Mandatory in TDT segments when Composite C228 is used.	
<i>Codes used in EDItEUR applications:</i>	
25	Rail express: use for rail express parcel service
34	Road parcel express (<i>EAN code</i>)
41	Air freight (<i>EAN code</i>)
42	Surface air lifting (<i>EAN code</i>)
43	Air express (<i>EAN code</i>)
51	Parcel post (<i>EAN code</i>)

52	Mail express (<i>EAN code</i>)
53	Surface mail (<i>EAN code</i>): for non-air-mail international mailing
54	Accelerated surface mail (<i>EAN code</i>)
55	Air mail (<i>EAN code</i>)
56	Printed matter/book post (<i>EAN code</i>)
101	Courier express (<i>EAN code</i>)

9000

9011 an..3 Status event code	
Code identifying a status event. Mandatory in all STS segments.	
<i>Codes used in EDItEUR applications:</i>	
CSA	Claim all issues since subscription start (<i>EAN code</i>)
CSB	Claim all issues since issue specified in claim (<i>EAN code</i>)
CSC	Claim all issues from and including issue specified in claim (<i>EAN code</i>)
CSD	Claim specified issue only (<i>EAN code</i>)
CSE	Cancel claim (<i>EAN code</i>)

9013 an..3 Status reason, coded	
At least one occurrence is mandatory in all STS segments.	
<i>Codes used in EDItEUR applications:</i>	
55	No copies received
56E	Wrong items supplied (<i>EAN code</i>)
58E	Imperfect item(s) supplied (<i>EAN code</i>)
59E	Too many copies received (<i>EAN code</i>)
208	Copies received damaged
218	Insufficient copies received
239	Other reason – see text in DE 9012

9015 an..3 Status type code	
Mandatory in all STS segments.	
<i>Codes used in EDItEUR applications:</i>	
UP1	Journal claims (<i>EAN code</i>)